General Index to Volume 148

$^{40}Ar/^{39}Ar$ geochronology, of Alpine tectonism, Betic Cordilleras, S Spain, 289–97

$^{40}Ar/^{39}Ar$ mineral analyses, diorites, Guernsey, Sark, 694–6

ABDELSALAM, M. G. & DAWOUD A. S., the Kabus ophiolitic melange, Sudan, and its bearing on the western boundary of the Nubian Shield, 83–92, figs

——& STERN, A. J., of ophiolites in Northeast and East Africa: implications for Proterozoic crustal growth [discussion of: BERHE], 600–6, figs

absarokites, Tavua Caldera, Fiji, 115–27

'Acadian' collision, along Iapetus suture zone, Irish Caledonides, 159–60

Acadian metamorphism, N Wales, resetting Rb-Sr ages during, 703–10

aeolianites, related to uplift, Cyprus, 917–18

Africa, NE and E, ophiolites and Proterozoic crustal growth in, 600–6

——, SE, Proterozoic–Mesozoic link with Antarctica, 1115–23

Agios Nikolaos Formation, Mesozoic, of Pindos Ophiolite, Greece, 277–8

Ailstone, Worcestershire, Pleistocene fluvial deposits around, 479–81

AINSWORTH, R. B., on palynofacies in a Late Silurian regressive sequence in the Welsh Borderland and Wales [discussion of: RICHARDSON & RASUL], 781–4

AITCHESON, S. J., *see* DALY, J. S.

Akia terrane, W Greenland, Archaean development of, 509–19

Akulleq terrane, W Greenland, Archaean development of, 510–19

Alepochori Group, Neogene, of Megara Basin, Greece, 924

ALGEO, T. J. & WILKINSON, B. H., modern and ancient continental hypsometries, 643–53

ALI, J. W. & HILL, I. A., reflection seismics for shallow geological investigations: a case study from Central England [Short Paper], 219–22

ALLARD, P., *see* BAUBRON, J-C.

ALLEN, J. R. L., salt-marsh accretion and sea-level movement in the inner Severn Estuary, southwest Britain: the archaeological and historical contribution, 485–94, figs

ALLEN, M. B., WINDLEY, B. F., ZHANG, C., ZHAO, Z-Y. & WANG, G.-R., basin evolution within and adjacent to the Tien Shan Range, NW China, 369–78, figs

ALLEN, P. A., *see* HESSELBO, M. P.

allocycles, metre-scale, and fundamental stratigraphic unit, 597–9

alluvial fans, hangingwall and footwall sourced, Pliocene fault basin, Turkey, 347–50

Alpine evolution, of extensional shear zone, Naxos, Greece, 93–103

Alpine tectonism, geochronology of, Betic Cordilleras, 289–97

Alpujárride, and Nevado–Filabride nappes, S Spain, geochronology of, 289–97

Alpujárride complex, S Spain, eclogites and subduction in, 801–4

Alston Block, Carboniferous sequence compared to basin fill, Stainmore Basin, 382–3

ALTERMANN, W., on structural evolution of Mesozoic Peninsular Malaysia [discussion of: HARBURY *et al.*], 417–9

Amadeus Basin, Australia, Ordovician magnetostratigraphy of, 953

amino-acid geochronology, of Pleistocene, Worcestershire,481

ANDERSON, E. J. & GOODWIN, P. W., of the significance of metre-scale allocycles in the quest for a fundamental stratigraphic unit [reply to discussion], 597–9

ANDERSON, T. B. *see* HU‡, W. D.

Anglesey, N Wales, lithostratigraphy, tectonic setting of Monian Supergroup, 1079–90

——, ——, progressive deformation of Monian Supergroup, 1091–1100

Anglo-Paris Basin, U Cretaceous tectonic disruptions in Chalk sequence of, 391–404

Antarctica, Proterozoic–Mesozoic link between SE Africa and Dronning Maud Land of, 1115–23

——, U Cretaceous stratigraphy of James Ross Island area, 1125–40

antithetic faulting, in Hercynian transpressive zone, W Spain, 896–8

appinitic, and granitic magmatism, W Highlands, Scotland, constraining timing of fault movement, 17–27

Aptian, and Albian, Bedfordshire, tectonics and sedimentation of early Cretaceous, 405–14

Arabian Sea, opening of, and Seychelles dykes, 981–2

arc–arc collision, and basin evolution, C Japan, 317–30

Archaean terrane assembly, Godthåbsfjord, West Greenland, 507–19

Armorica, S, Palaeozoic continental margin tectonics in, 55–64

Armorican Massif, geology of, 55–6

——, Ordovician magnetostratigraphy of, 951–2

Arundian palaeosols, ferrolysis in, and monsoonal shifts, 9–12

Askrigg Block, Carboniferous sequence compared to basin fill, Stainmore Basin, 384

Aspropotamos Complex, of Pindos Ophiolite Group, a dismembered ophiolite, 270–5

Atlantic, NE, nature and age of Rockall Bank basement rocks, 631–4

atmospheres, ancient, carbon dioxide content assessed by palaeocalcretes, 946–8

Attic Cycladic Massif, Greece, an extensional shear zone, 93–103

AUDLEY-CHARLES, M. G., *see* HARBURY, N. A.

aureoles, thermal, and sills, widths and thicknesses related to organic maturation, C Scotland, N England, 215–8

Austria, and England, Triassic–Jurassic boundary in, 420–2

Avalonia, Eastern, links with Gondwana in Ordovician, 423–5

——, and other terranes, late Precambrian age-dates in 440–1

Avdella Melange, of Pindos Ophiolite, 275–7

Avoca, Ireland, Ordovician basalt to rhyolite fractionation series in, 711–18

Avon, river, Warwickshire, revised model for Pleistocene development of, 473–84

Ayia Sofia Formation, Neogene, of Megara Basin, Greece, 924

Ayio Ioannou Group, Neogene, of Megara Basin, Greece, 924

bacterial calcite production, Bathonian, Normandy, 683–5

Badajoz shear zone, W Spain, transpressive tectonics of, 896–8

Baie d'Audierne Complex, S Armorica, eclogites of, 57

BALL, M. J., *see* GIBBONS, W.

Ballantrae Complex, Scotland, Ordovician magnetostratigraphy of, 951

basalt, palaeosol developed on, Silurian, SW Ireland, 849–59

basalt geochemistry, and relation to tectonic setting, Ordovician, Massif Central, France, 967–9

basalt to rhyolite, fractionation series, Ordovician, Avoca, Ireland, 711–18

basalts, source of south-central England magnetic anomaly, 775–80

basement depth, Viking Graben, N North Sea, 261–5

basin, extensional, tectonosedimentary development of, Neogene, Megara, Greece, 923–34

basin development, and petroleum geology, NW seaboard, UK, 595–6

——from seismic studies, N Celtic Sea Basin, 191–5

basin evolution, and dynamics of continental lithosphere, 789–800

——, Izu Collision Zone, C Japan, 317–30

——, in Tien Shan Range, NW China, 369–78

basin extension, in L Carboniferous Stainmore Basin, N England, 379–90

basin initiation, resulting from extensional collapse, Devonian, E Greenland, 355–68

basin instigation, structural controls, Irish offshore, 181–4

basins, associated with Palaeozoic collisions, Tien Shan, NW China, 371–2

——, flexural, Tien Shan, NW China, 375–6

——, foreland, in Tien Shan, NW China, 375–6

BAUBRON, J.-C., ALLARD, P,. SABROUX, J.-C., TEDESCO, D. & TOUTAIN, J.-P., soil gas emanations as precursory indicators of volcanic eruptions, 571–6, figs
Bathonian sponge reefs, preservation of, 681–9
Beachy Head Anticline, Chalk, E Sussex, 398
BEDDOE-STEPHENS, B., *see* HOLLOWAY, S.
Bedfordshire, England, influence of tectonics on early Cretaceous sedimentation, 405–14
Belgium, geochemical evolution of subsurface fluids in Visean, 1005–17
Ben Vuirich granite, U-Pb age, and evolution of Scottish Dalradian Supergroup, 205–6
BENGAARD, H.-J., *see* LARSEN, P.-H. BENTHAM, P., COLLIER, R. E. L., GAWTHORPE, R. L., LEEDER, M. R., PROSSER, S. & STARK, C., tectono-sedimentary development of an extensional basin: the Neogene Megara Basin, Greece, 923–34, figs
BERHE, S. M., of ophiolites in Northeast and East Africa: implications for Proterozoic crustal growth [reply to discussion], 600–6, figs
Beryl Embayment, N Sea, estuarine facies model for Jurassic Sleipnir Formation of, 459–71
——, North Sea, Jurassic coastal plain and fan delta sediments in, 1037–47
BESTLAND, E. A., a Miocene Gilbert-type fan-delta from a volcanically influenced lacustrine basin, Rusinga Island, Lake Victoria, Kenya, 1067–78, figs
Betic Cordilleras, S Spain, eclogites and subduction in Ojén nappe of Alpujárride complex, 801–4
——, ——, geochronology of Alpine tectonism, 289–97
BEVINS, R. E., LEES, G. J. & ROACH, R. A., Ordovician bimodal volcanism in SW Wales: geochemical evidence for petrogenesis of the silicic rocks, 719–29
Bigbury Bay, S Devon, sedimentology, depositional setting of Dartmouth Group in, 235–44
biostratigraphy, guide to procedure, 815–6
BIRPS deep seismic reflection profiles, and basement structures, Northumberland Trough, 46–9
BIRPS profiling, and crustal structure of C and S North Sea, 445–57
black-shales, non-marine, with characteristics of marine bands, U Carb, N England, 805–8
BLUCK, B. J., *see* ROGERS, G.
BLUNDELL, D. J., some observations on basin evolution and dynamics [President's anniversary address, 1990], 789–800, figs
——, HOBBS, R. W., KLEMPERER, S. L., SCOTT-ROBINSON, R., LONG, R. E., WEST, T. E. & DUIN, E., crustal structure of the central and southern North Sea from BIRPS deep seismic reflection profiling, 445–57, figs
Boarhills–Wormiston, E Fife, petrography of sandstones in, 740–1
Bodelwyn Formation, Precambrian, Anglesey, 1087
BOND, M., *see* McELROY, R.
Borrowdale Volcanic Group, Lake District, Ordovician magnetostratigraphy of, 953
Boso Peninsula, Japan, basin evolution in arc–arc collision near, 320–5
Bosost dome, C Pyrenees, Hercynian Tectonometamorphic evolution of, 299, maps 300–2; 303–14
BOUCHARDON, J. L. *see* BRIAND, B.
BOYCE, A. J., *see* LOWRY, D.
Brent Group sediments, N Sea, compared with Sleipnir Formation, 467–8
BRIAND, B., PIBOULE, M., SANTALLIER, D. & BOUCHARDON, J. L., geochemistry and tectonic implications of two Ordovician bimodal igneous complexes, southern French Massif Central, 959–71, figs
BRIDGLAND, D. R., *see* MADDY, D.
Brighton (Hollingbury) Dome, in Chalk, E Sussex, 398
Britain, NW, Pleistocene ice-limits indicated by submarine end-moraines, 431–4
——, palaeomagnetic constraints on Ordovician Iapetus in, 423–5
——, S, U-Pb zircon ages for Late Precambrian igneous rocks, 435–43
——, SW, salt-marsh accretion and sea-level movement, Severn Estuary, 485–94
BROCK, A., RYAN, P. D. & SHANNON, P.. M., the deep geology and geophysics of Ireland and its continental margins [conference report], 129–30
BROWN, C., *see* FORD, M.
BROWN, G. C., RYMER, H. & STEVENSON, D., volcano monitoring by microgravity and energy budget analysis, 585–93, figs
BROWN, R. W., on thermal and tectonic history of the East Midlands shelf (onshore UK) and surrounding regions assessed by apatite fission track analysis [discussion of: GREEN], 785–7
BUICK, I. S., the late Alpine evolution of an extensional shear zone, Naxos, Greece, 93–103, figs
Burdur basin, Pliocene, SW Turkey, tectonics, seismicity, sedimentation, 345–54

Cadomian arc development, Channel Islands, tectonothermal chronology of, 691–702
calcite cement growth mechanism, in Jurassic limestones, 835–48
Caledonian extensional collapse, and basin initiation, Devonian, E Greenland, 355–68
Caledonian movements, age of, on Great Glen fault, from sinistral deformation of Ratagain granite, 1–4
Caledonian thrust zone, beneath Northumberland Trough, 41–53
Caledonides, of Finnmark, N Norway, late Proterozoic orogen in, 29–40
——, Irish, deep seismic reflection transect across, 149–64
——, W Ireland, geological and tectonic cross-section of, 173–80
Cambrian-Precambrian boundary, southern Britain, 440–1
Campanian—Maastrichtian, of James Ross Island, Antarctica, 1125–40
Campine Basin, Belgium, subsurface fluids in Visean of, 1005–17
Caradocian volcanic rocks, N Wales, ages reset by metamorphism, 703–10
carbon dioxide content, of ancient atmospheres, assessed using palaeocalcretes, 946–8
carbon dioxide (soil gas), as precursory indicator of volcanic eruptions, 571–5
carbon/sulphur ratio, of radioactive shale, U Carboniferous, N England, 805–7
carbonate–evaporite basins, sequence stratigraphic models of, 1019–23
carbonatite, volcaniclastic, Zambia, age and relations to Zambezi rift sediments, 13–15
Carboniferous, early, ferrolysis in palaeosols in, and monsoonal system shifts, 9–12
——, L, extensional basin tectonics and sedimentation, Stainmore Basin, N England, 379–90
——, and Permian sills, and organic maturation, C Scotland, 215–18
——, U, N England, radioactive shale facies within, 805–8
Carboniferous basin development, within Iapetus convergence zone, N England, 41–53
Carboniferous rhizolite (root mat) calcretes and $\delta^{13}C$ values of calcretes, 947–8
CATER, J., *see* McELROY, R.
Celtic Sea, SWAT seismic data from, and crustal model for Variscides, 759–74
Celtic Sea Basin, N seismic studies and basin development, 191–5
cements, vein, and evolution of subsurface fluids, Visean, Belgium, 1005–17
Central Iberian Zone, W Spain, Hercynian transpressional tectonics in, 893–8
CHADWICK, R. A. & HOLLIDAY, D. W., deep crustal structure and Carboniferous basin development within the Iapetus convergence zone, northern England, 41–53, figs
Chalk, E Sussex, sedimentation history of, 395–7
Chalk porosity, and Tertiary uplift, Western Approaches, 669–79
Chalk sequence, Anglo-Paris Basin, U Cretaceous tectonic disruptions in, 391–404
CHALMERS, J. A., new evidence on the structure of the Labrador Sea/Greenland continental margin, 899–908, figs
Champtoceaux Complex, and Complex des Essarts, S Armorica, eclogites of, 56–7

Channel Islands, tectonothermal chronology of Cadomian arc development in, 691, maps 692–3; 694–702
Charalampos Conglomerate Member of Charalampos Marl Formation, Neogene, Corinth Basin, Greece, 1052–4
Charalampos Marl Formation, Neogene, Corinth Basin, Greece, 1050–2
chemostratigraphy, and K-Ar ages of Silurian K-bentonites, Southern Uplands–Down–Longford terrane, British Isles, 861–8
Chilean tsunami, of 24 May, 1960, and generation of deep water sedimentary structures, 211–14
China, NW, basin evolution in Tien Shan Range, 369–78
——, S, Ordovician magnetostratigraphy of, 952
cratonic fragments, linked, Dronning Maud Land and SE Africa, 1116
chronology, tectonothermal, of Cadomian arc development, Channel Islands, 691–702
chronostratigraphy, guide to procedure, 816–7
CHURCH, W. R., on a high precision U-Pb age for the Ben Vuirich granite: implications for the evolution of the Scottish Dalradian Supergroup [discussion of: ROGERS, *et al.*], 205–6
——, of ophiolites in Northeast and East Africa: implications for Proterozoic crustal growth [discussion of: BERHE], 600–6, Figs
classification, of igneous rocks, principles of, 826–7
——, of igneous rocks by IUGS, 825–33
Clew Bay sub-zone, W Ireland, Silurian modifications of Ordovician terrane, 165–7
CLIFF, R. A., *see* DALY, J. S.
Clogher Head Formation, Silurian, SW Ireland, palaeosols in, 849–59
Coal Measures, Variscan deformation of, S Wales, 881–91
Coedana Granite, Anglesey, U/Pb zircon age date of, 435–7
COKE (Major Edward D'Ewes Fitzgerald) MEDAL presented to C. WILSON, 622–4
COKE (Major John Sacheverell A'Deane) MEDAL, presented to A. SMITH, 621–2
COLLIER, R. E. Ll, the Lower Carboniferous Stainmore Basin, N England: extensional basin tectonics and sedimentation, 379–90, figs
——& DART, C. J., Neogene to Quaternary rifting, sedimentation and uplift in the Corinth Basin, Greece, 1049–65, figs
——, *see* BENTHAM, P.
compaction, experimental, of quartz sands, at low stress and temperature, 527–39
Complejo Equisto–Grauvaquico, late Proterozoic unit, W Spain, Hercynian transpression of, 894–5
Connemara, Dalradian, fluid disturbed hornblende K-Ar ages, 985–92
contact metamorphism, volatile production from Palaeozoic mudrocks during, 731–6
continental crust, subducted, in Dora Maira massif, Italian Alps, 1101–13
continental hypsometries, modern and ancient, 643–53
continental margin, Ireland, and deep geology, geophysics, 129–30
——, Labrador Sea/Greenland, structure of, 899–908
continental margin tectonics, Palaeozoic, S Armorica, 55–64
continents, ancient, hypsometries of, 648–51
COOLE, seismic profiles, N Celtic Sea Basin, 191–5
COPE, J., on the correlation of the Triassic–Jurassic boundary in England and Austria [reply to further discussion], 943–4
COPE, J. C. W., on correlation of the Triassic–Jurassic boundary in England and Austria [discussion of: HALLAM], 420–2
——, *see* WHITTAKER, A.
Corinth Basin, Greece, Neogene to Quaternary rifting, uplift in, 1049–65
Costa Rica, Poś volcano monitored by microgravity and energy-budget analysis, 587–91
COWIE, J. W., *see* WHITTAKER, A.
CRAME, J. A., PIRRIE, D., RIDING, J. B. & THOMSON, M. R. A., Campanian–Maastrichtian (Cretaceous) stratigraphy of the James Ross Island area, Antarctica, 1125–40, figs
cratonic fragments, linked, Dronning Maud Land and SE Africa, 1116
creep, and compaction, in quartz sand, 527–39
Cretaceous, S Dorset, erosion surfaces in Wealden Beds of, 105–13
——, U, tectonic disruptions in placid Chalk sequence, Anglo-Paris Basin, 391–404
Cretaceous sedimentation, Bedfordshire, England, influence of tectonics on, 405–14
Cretaceous stratigraphy, of James Ross Island, Antarctica, 1125–40
Cretaceous-Tertiary subsidence, Western Approaches Trough, 676
CRONAN, D. S., GALÁCZ, A., MINDSZENTY, A., MOORBY, S. A. & POLGARI, M., Tethyan ferromanganese oxide deposits from Jurassic rocks in Hungary, 655–68
Cropthorne, Worcestershire, Pleistocene fluvial deposits around, 474–9
crust, upper, flexural cantilever model for, 793–4
crustal conductivity, model, and exhumed lower crust, NW Ireland, 131–5
crustal growth, Proterozoic, and ophiolites, NE and E Africa, 600–6
crustal model, for Welsh, Irish Variscides, derived from SWAT seismic data, 759–74
crustal structure, of C and S North Sea, from BIRPS deep seismic reflection profiling, 445–57
——, deep, and Carboniferous basin development, N England, 41–53
crystal growth mechanisms, in calcite cements, 843–7
cyclical stratigraphy, guide to procedure, 819–20
Cyprus, Quaternary uplift and sea-level change at active plate margin, 909–21
$\delta^{13}C$ composition of calcretes, and composition of ancient atmospheres, 946

D'LEMOS, R. S., *see* DALLMEYER, R. D.
DALLMEYER, R. D., D'LEMOS, R. S., STRACHAN, R. A. & MUELLER, P. A., tectonothermal chronology of early Cadomian arc development in Guernsey and Sark, Channel Islands, 691–702
Dalradian, Connemara, fluid disturbed hornblende K-Ar ages, 985–92
Dalradian Supergroup, and U-Pb age of Ben Vuirich granite, 205–6
DALY, J. S., AITCHESON, S. J., CLIFF, R. A., GAYER, R. A. & RICE, H. N., geochronological evidence from discordant plutons for a late Proterozoic orogen in the Caledonides of Finnmark, northern Norway, 29–40, figs
——, MUIR, R. J. & CLIFF, R. A., a precise U-Pb zircon age for the Inishtrahull syenitic gneiss, County Donegal, Ireland [Short Paper], 639–42
DART, C. J., *see* COLLIER, R. E.Ll.
Dartmouth Group, S Devon, sedimentology, depositional setting, 235–44
Dassu gneiss, Karakoram, 69
DAWOUD, A. S., *see* ABDELSALAM, M. G.
Deccan, extent of, and Seychelles tholeiitic dykes, 979–83
Deccan Traps, southern, India, geology and structural implications, 495–505
deep geology, geophysics, of Ireland and its continental margin, 129–30
deep geology and geophysics of Ireland and its continental margin [thematic set] and:
analysis and tectonic interpretation, gravity data, Variscides, SW Ireland, 137–48
comparative sequence stratigraphy, structural styles, Slyne Trough and Hebrides Basin, 197–201
introduction: deep geology, geophysics of Ireland and its continental margin, 129–30
deep seismic reflection transect across Irish Caledonides, 149–64
development of Irish offshore sedimentary basins, 181–9
end-Silurian modification of Ordovician terranes in W Ireland, 165–71
exhumed lower crust in NW Ireland, 131–5
geological, tectonic, cross-section of the Caledonides, W Ireland, 173–80
seismic studies in the N Celtic Sea Basin, 191–5
deep sea depositional systems, classified by sediment calibre and feeder system, 427–30
Deer Park Complex, W Ireland, 175–6
Delany Dome, W Ireland, 177
DEMPSTER, T. J., *see* ROGERS, G.
DEN BROK, S. W. J.& SPIERS, C. J., experimental evidence for water weakening of quartzite by microcracking plus solution–precipitation creep, 541–8, figs

deposition systems, deep sea, classified by sediment calibre and feeder system, 427–30
DEVEY, C. W. & STEPHENS, W. E., tholeiitic dykes in the Seychelles and the original spatial extent of the Deccan, 979–83, figs
Devon, S, sedimentology, depositional setting of Dartmouth Group in, 235–44
Devonian, Dartmouth Group of, sedimentology, 235–44
Devonian basin initiation, E Greenland, result of wrench faulting and extensional collapse, 355–68
Devonian–Permian mineralization events, Lake District, 994–5
Devonian sediments, and granite, distribution of, E Shetland Platform, N Sea, 635–8
DEWEY, J. F., *see* RYAN, P. D.
diagenesis,of Chalk, and porosity, 673–8
——, of quartz sands, experimental compaction studies on, 527–39
diagenetic fabrics, hydrothermally overprinted, in dolomites, 737–47
diagenesis, crystal growth mechanisms during, in Jurassic limestones, 835–48
DIMBERLINE, A. J., BELL, A. & WOODCOCK, N. H., on a laminated hemipelagic facies from the Wenlock and Ludlow of the Welsh Basin [reply to discussion], 1145–8, fig
Dinantian deposition, and extensional faulting, Stainmore Basin, N England, 379–90
Dinantian dolomites, E Fife, hydrothermal overprinting of diagenetic fabrics in, 737–47
Dio Dendra Group of Pindos Ophiolite, Greece, pelagic and turbiditic sediments, 277–9
diorites, Guernsey, Sark, geology, ages, 692–701
DOBB, A., *see* WILLIAMS, G. D.
dolomites, Dinantian, E Fife, hydrothermal overprinting of diagenetic fabrics in, 737–47
domes, and deformation, Bosost, Pyrenees, relationship between metamorphism and deformation, 306–11
domino faulting, in Hercynian transpressive zone, W Spain, 896
DONATO, J. A., *see* HOLLOWAY, S.
Donegal, Ireland, U-Pb zircon age for Inishtrahull gneiss, 639–42
Dora Maira massif, Italian Alps, structural evolution of subducted continental silver, 1101–13
Dorset, S, erosion surfaces in Wealden Beds of, 105–13
Downton Castle Sandstone Formation, sedimentology of, 781
drainage basin growth, and faulting, Megara, S Greece, 331–43
drainage domains, defined and exemplified, S Greece, 336–7
Dramala Complex, of Pindos Ophiolite Group, oceanic mantle, 270
Dronning Maud Land, Antarctica, link with SE Africa, 1115–23
Drosia Conglomerate Formation, Neogene, Corinth Basin, Greece, 1056–7
DUIN, E., *see* BLUNDELL, D.J.
Dunlin Group, Beryl Embayment, North Sea, coastal plain, fan delta sediments of, 1037–47
DUNNING, G. R., *see* ROGERS, G.
Dunquin Group, Silurian, SW Ireland, palaeosols in, 849–59
dyke emplacement, Mt Etna, evidence of, from ground deformation monitoring, 577–83
dyke-related ground deformation, Mt Etna, 578–80
dykes, tholeiitic, Seychelles, and original extent of Deccan, 979–83

EAGER, R. M. C., towards a statistical system for palaeontologists [discussion of: HARPER & RYAN], 939–42
Early Modern–Modern Series, of reclamations, and salt-marsh accretion, Severn Estuary, 488–9
East Midlands Shelf, and Mid-North Sea High, crustal structure from BIRPS profiling, 452–4
——, thermal, tectonic history of, from fission track analysis, 785–7
East Shetland Platform, N Sea, distribution of granite and Devonian sediments in, 635–8
EATON, P. C., *see* SETTER}ELD, T. N.
eclogite unit, Eoalpine, N Italy, Dora Maira Massif and structural evolution of, 1101–13
eclogites, of Ojén nappe, S Spain, and subduction in Alpujárride complex, 801–4
——, of S Armorica, 56–7
EDIRIWEERA, K. K., *see* HOSPERS, J.
energy budget analysis, and microgravity, in volcano monitoring, 585–93
England, and Austria, Triassic–Jurassic boundary in, 420–2
——, Bedfordshire, influence of tectonics on early Cretaceous sedimentation, 405–14
——, C, case study on reflection seismics for shallow investigations, 219–22
——, Lake District, sulphur sources for Lower Palaeozoic-hosted mineralization, 993–1004
——, N, Carboniferous basin development within Iapetus convergence zone, 41–53
——,——, Lower Carboniferous Stainmore Basin, extensional basin tectonics and sedimentation, 379–90
——, ——, radioactive shale facies in U Carboniferous of, 805–8
——, NE, Permian evaporite basins in, 1019–36
——, S, basaltic deep source for magnetic anomaly, 775–80
——,——, France N, preservation of siliceous sponges in Jurassic of, 681–9
Ercall Granophyre, Shropshire, U/Pb zircon age date of, 438–9
erosion surfaces, in Wealden Beds, S Dorset, 105–13
estuarine facies model, for M Jurassic Sleipnir Formation, N Sea, 459–71
'Estuarine Succession', of Sleipnir Formation, N Sea, estuarine facies model for, 461–6
Etna, ground deformation monitoring as evidence for dyke emplacement, 577–83
European Geotraverse, 790
EVANS, B., *see* HICKMAN, S. H.
EVANS, J. A., resetting of Rb-Sr whole-rock ages during Acadian low-grade metamorphism in North Wales, 703–10
evaporite basins, in U Permian of NE England and N Sea, 1019–36
event stratigraphy, guide to procedure, 821
exinite reflectivity, 223–33
extension, regional, pluton emplaced during, Oligocene, Xanthi, Greece,749–59
extensional collapse, Caledonian, and basin initiation, E Greenland, 355–68
extensional basins, S Scotland, N England, 49–51
extensional faulting, and basin initiation, Devonian, E Greenland, 356–62
——, sedimentary features associated with, early Cretaceous, Bedfordshire, 407–13
extensional tectonism, and geochronology, of Betic Cordilleras, S Spain, 293–4
EYERS, J., the influence of tectonics on early Cretaceous sedimentation in Bedfordshire, England, 405–14, figs

FALLICK, A. E., *see* LOWRY, D.
——, *see* MILLER, W. M.
fan deltas, and coastal plain sediments, Jurassic N Sea, 1037–47
fan-delta, Gilbert-type, Miocene, Lake Victoria, Kenya, 1067–78
Fanglomerate Group, Pleistocene, Cyprus, and uplift at plate margin, 910–16
fans, hangingwall-sourced, footwall-sourced, Pliocene fault basin, SW Turkey, 347–50
FAULKNER, T. J., *see* WRIGHT, V. P.
fault controlled emplacement, of pluton, Xanthi, Greece, 749–59
faulting, and basin formation, Pliocene, Turkey, 345–54
——, intra-Jurassic, evidence for, in Wessex Basin, 245–60
faults, normal, geomorphology and sedimentation near, S Greece, 331–43
ferrolysis, in Arundian palaeosols, and early Carboniferous monsoonal system, 9–12
ferromanganese deposits, from Jurassic of Hungary, 655–68
Fife, E, hydrothermal overprinting of diagenetic fabrics in Dinantian dolomites, 737–47
Fiji, Tavua Caldera of, origin in concurrent faulting and downsagging, 115, maps 116–7; 118–127
Finnmarkian, status of, 38

Fishguard Volcanic Complex, S Wales, petrogenesis of silicic rocks in, 719–29
fission track analysis, and thermal, tectonic history of E Midland shelf, 785–7
flexural basins, and Cenozoic compression, Tien Shan, NW China, 375–6
fluid disturbed hornblende K-Ar ages, Dalradian, Connemara, Ireland, 985–92
fluid inclusions, and temperatures, in vein cements, Carboniferous, Belgium, 1012–13
fluids, formed during metamorphic devolatization of pelites, Cornwall, 731–6
——, subsurface, geochemical evolution of, Visean, Belgium, 1005–17
fluvial facies, distal, Devonian, S Devon, 240–1
FORD, M., BROWN, C. & READMAN, P., analysis and tectonic interpretation of gravity data over the Variscides of southwest Ireland, 137–48, figs
foreland basin, on S margin of Iapetus, 207–10
foreland basins, produced by Cenozoic thrusting, Turfan, NW China, 375–6
fractionation series, basalt to rhyolite, Ordovician, Avoca, Ireland, 711–18
France, Massif Central, geochemistry of Ordovician bimodal igneous complexes, 959–71
——, and Spain, Hercynian evolution of Bosost dome, Pyrenees, 299–314
francolites, mineralogical and chemical variation with geological time, 809–12
FRIEND, C. R. L. & NUTMAN, A. P., refolded nappes formed during late Archaean terrane assembly, Godthåbsfjord, southern West Greenland, 507–19, figs
fumarole fields, satellite IR monitoring of heat from, 565–6

GAETANI, M., on the stratigraphy and structure of SE Zanskar, Ladakh Himalaya [discussion of:] MCELROY, R., *et al*], 938
GALÁCZ, A., *see* CRONAN, D. S.
GALINDO-ZALDIVAR, J., *see* MONIE, P.
Garabal Hill/Glen Fyne complex, W Scotland, geochronology, 18–22
GARVIE, L. A. J., *see* WRIGHT, V. P.
Gault Clay, Bedfordshire, influence of tectonics on sedimentation, 411–12
GAWTHORPE, R. L., *see* BENTHAM, P.
GAYER, R. S., *see* DALY, J. S.
geobarometry, geothermometry, Bosost dome, Pyrenees, 302–6
geochemical, and isotopic constraints on basement age, Rockall Bank, 631–4
geochemical evidence, for petrogenesis of silicic rocks, Ordovician, SW Wales, 719–29
geochemical evolution, of subsurface fluids, from vein cements, Visean, Belgium, 1005–17
geochemical tracers, (soil gases) as precursory indicators of volcanic eruptions, 571–5
geochemistry, of dolomites, E Fife, 741–6
——, of eclogites, Betic Cordilleras, S Spain, 801–3
——, of fossil manganese nodules, Jurassic, Hungary, 661–3
——, of francolites, 809–12
——, of Llandovery K-bentonites, S Scotland, Ireland, 861–8
——, of Monian Supergroup, Anglesey, 1088
——, of olivine dolerite dykes, Seychelles, 979–80
——, of Ordovician igneous complexes, French Massif Central, 959–71
——, of Ordovician peralkaline volcanic rocks, Ireland, 712–15
——, of palaeosols, Silurian, SW Ireland, 854–5
——, petrology, of Pindos Ophiolite Group, 270–5
——, of radioactive shale, U Carboniferous, N England, 805–7
——, of south Cornish mudrocks, 732–3
——, of vein cements, Carboniferous, Belgium, 1007
——, of zoned calcite cements, Jurassic, 828–43
geochronology, of Alpine tectonism, Betic Cordilleras, S Spain, 289–97
——, amino-acid, of Pleistocene, Worcestershire, 481
——, of Inishtrahull syenitic gneiss, Donegal, 639–42
——, of Kibaran orogenic provinces, SE Africa, Antarctica, 1119
——, of late Proterozoic orogen, in Caledonides, Finnmark, N Norway, 29–40
——, of magmatism, W Highlands of Scotland, constraints on timing of transcurrent fault movement, 17–24
geochronometry, guide to procedure, 817
geomorphology, and sedimentation near normal faults, S Greece, 331–43
geophysical log stratigraphy, guide to procedure, 818
geotectonic cycles, and continental hypsometries, 649–51
GIBBONS, W. & BALL, M. J., a discussion of Monian Supergroup stratigraphy in northwest Wales [Short Paper], 5–8 figs
——, *see* WHITTAKER, A.
GIBSON, S. A., *see* THOMPSON, R. N.
GIL IBARGUCHI, J. I., *see* TUBIA, J. M.
Gilbert-type fan-delta, Miocene, Lake Victoria, Kenya, 1067–78
Goban Spur basins, development of, 184–5
Godthåbsfjord, W Greenland, Nappe formation during Archaean terrane assembly, 507–19
GOFFE, B., *see* MONIE, P.
GONZALEZ-LODIERO, F., *see* MONIE, P.
GOODWIN, P. W., *see* ANDERSON, E. J.
grain/interphase boundary structure, effect on pressure solution in halite, 549–60
'Grampian' collision, along Clew Bay zone Irish Caledonides, 160–1
GRANTHAM, G. H., *see* GROENEWALD, P. B.
granulites, of lower crust, W Ireland, 131–5
gravity data, Variscides, SW Ireland, analysis, tectonic interpretation, 137–48
Great Glen fault, constraints on age of, from sinistral deformation of Ratagain granite, 1–4
Greece, Corinth Basin, Neogene to Quaternary rifting in, 1049–65
——, Megara Basin, extensional development of, 923–4, map 925; 926–34
——, Mesozoic Pindos ophiolite, evolution, tectonostratigraphy, 267–88
——, N, Xanthi pluton emplaced during regional extension,749–58
——, Naxos, Alpine evolution of extensional shear zone, 93–103
——, S, sedimentation and geomorphology near normal faults, 331–43
GREEN, C. P., *see* MADDY, D.
GREEN, P. F., on thermal and tectonic history of the East Midlands shelf (onshore UK) and surrounding regions assessed by apatite fission track analysis [reply to discussion], 786–7
Greenland, E, Devonian basin initiation as result of faulting, extensional collapse, 355–68
——, W, nappe formation during Archaean terrane assembly, Godthåbsfjord, 507, map 508; 509–19
Grenvillian basement, in W Ireland, 173–5
GROENEWALD, P. B., GRANTHAM, G. H. & WATKEYS, M. K., geological evidence for a Proterozoic to Mesozoic link between southeastern Africa and Dronning Maud Land, Antarctica, 1115–23, figs
ground deformation monitoring, at Mt Etna, evidence for dyke emplacement, 577–83
Guernsey, Sark, chronology of Cadomian arc development in, 691–702
GUMIEL, P., *see* SANDERSON, D. J.
Gwna Group, Anglesey, and subdivision of Monian Supergroup, 5–8

HAILWOOD, E. A., *see* WHITTAKER, A.
halite, pressure solution in, and grain/interphase boundary structure, 549–60
HALL, R., orogenesis in action: tectonics and processes at the west equatorial Pacific margin [conference report], 415–6
HALLAM, A., on correlation of the Triassic-Jurassic boundary in England and Austria [reply to discussion], 420–2
Harbour Ridges Formation, Neogene, of Megara Basin, Greece, 924
HARBURY, N. A., JONES, M. E., AUDLEY-CHARLES, M. G. & MOHAMED, K. R., on structural evolution of Mesozoic Peninsular Malaysia [reply to discussion], 417–9
HARPER, D. A. T. & ROYAN, P. D., towards a statistical system for palaeontologists [reply to discussion], 939–42
HARPER, D. A. T., *see* WILLIAMS, D. M.
Hasvik gabbro, Finnmark, 36
Hebrides Basin, and Slyne Trough, sequence stratigraphy and structural styles, 197, maps 198–9; 200–1

Hebrides Shelf, submarine end-moraines indicating Pleistocene ice-limits, 431–2
helium (soil gas), as precursory indicator of volcanic eruptions, 572–5
hemipelagic facies, laminated, from Silurian of Welsh Basin, 1145–8
HENDRY, J. P. & MARSHALL, J. D., disequilibrium trace element partitioning in Jurassic sparry calcite cements: implications for crystal growth mechanisms during diagenesis, 835–48, figs
Hercynian tectonometamorphic evolution, of Bosost dome, C Pyrenees, 299–314
Hercynian transpressional tectonics, at S margin of Central Iberian Zone, W Spain, 893–8
HERTOGEN, J., *see* McCONNEL, B. J.
HESSELBO, S. P. & ALLEN, P. A., major erosion surfaces in the basal Wealden Beds, Lower Cretaceous, south Dorset, 105–13, figs
HICKMAN, S. H. & EVANS, B., experimental pressure solution in halite: the effect of grain/interphase boundary structure, 549–60, figs
HILL, I. A., *see* ALI, J. W.
HILLIS, R. R., Chalk porosity and Tertiary uplift, Western Approaches Trough, SW UK and NW French continental shelves, 669–79
Himalaya, metamorphism in Karakoram, 65–82
Hiwegi Formation, Miocene, Kenya, 1075
HOBBS, R. W., *see* BLUNDELL, D. J.
HOLLIDAY, D. W., *see* CHADWICK, R. A.
HOLLOWAY, S., REAY, D. M., DONATO, J. A. & BEDDOE-STEPHENS, B., distribution of granite and possible Devonian sediments in part of the East Shetland Platform, North Sea [Short Paper], 635–8
HOLMES, R., *see* STOKER, M. S.
Holyhead Formation, Precambrian, Anglesey, 1083–6
Holy Island, Anglesey, N Wales, progressive deformation of Monian Supergroup, 1091–1100
hornblende Ar closure temperatures, and fluid disturbance, Connemara, 985
hornblende K-Ar ages, fluid disturbed, Dalradian, Connemara, Ireland, 985–92
HOSPERS, J. & EDIWEERA, K. K., depth and configuration of the crystalline basement in the Viking Graben area, Northern North Sea, 261–5, figs
hotspots, thinspots, mantle plumes, subcontinental, 973–7
HOUSE, M. R., *see* WHITTAKER, A.
HUFF, W. D., ANDERSON, T. B., RUNDLE, C. C. & ODIN, G. S., chemostratigraphy, K-Ar ages and illitization of Silurian K-bentonites from the Central Belt of the Southern Uplands–Down–Longford terrane, British Isles, 861–8, figs
HUMPHREYS, B., *see* SMITH, S. A.
Hungary, Tethyan ferromanganese deposits from Jurassic, 655–68
HUTTON, D. H. W. & MCERLEAN, M., Silurian and Early Devonian sinistral deformation of the Ratagain granite, Scotland: constraints on the age of the Caledonian movements on the Great Glen fault system [Short Paper], 1–4, figs
hydrothermal overprinting, of diagenetic fabrics in dolomites, 737–47
hypsometries, continental, modern and ancient, 643–53

Iapetus, foreland basin on S margin of, 207–10
——, timing of closure, 877–9
Iapetus convergence zone, Carboniferous basin development within, N England, 41–53
Iapetus Ocean, in Britain, palaeomagnetic constraints on Ordovician history of, 423–5
Iapetus suture, trace of, in Ireland, Britain, 869–80
ice-limits, Pleistocene, NW Britain, indicated by submarine end-moraines, 431–4
igneous rocks, IUGS systematics of, 825–33
illitization, and chemostratigraphy, of Silurian K-bentonites, S Scotland, Ireland, 861–8
India, southern Deccan Traps, geological map and structural implications, 495–505
infrared monitoring, of volcanoes by satellite, 563–9
Inishtrahull gneiss, Donegal, Ireland, U-Pb zircon age for, 639–42
inter-tidal facies association, Sleipnir Formation, N Sea, 467
'Interbedded Unit', of Sleipnir Formation, N Sea, estuarine facies model for, 459–61
intra-Jurassic faulting, evidence for, in Wessex Basin, 245–60
Ireland, Avoca, Ordovician basalt to peralkaline rhyolite fractionation series, 711–18
——, and Britain, trace of Iapetus suture in, 869–80
——, Connemara, Dalradian fluid disturbed hornblende K-Ar ages, 985–92
——, deep geology, geophysics, and continental margin, 129–30
——, Donegal, U-Pb zircon age for Inishtrahull gneiss, 639–42
——, Mayo, Ordovician magnetostratigraphy of, 953
——, NW, exhumed lower crust, and model for crustal conductivity, 131–5
——, SW, gravity over Variscides of, 137, maps 138–42; 143–8
——, ——, polygenetic palaeosol in Silurian of, 849–59
——, W, end-Silurian modifications of Ordovician terranes, 165–71
——, ——, geological and tectonic cross-section of Caledonides in, 173–80
Irish Caledonides, deep seismic reflection transect across, 149, maps/chart 150–1; 152–64
Irish offshore sedimentary basins, development of, 181–9
Islay terrane, compared with Rockall terrane, 631–4
——, linked with Inishtrahull area, 639–42
Isle of Wight–Portsdown–W Sussex, U Cretaceous geology, structure, 399–400
isotopes, stable, and fluid compositions, in vein cements, Carboniferous, Belgium, 1013–14
——, of sulphur, and sulphur sources for mineralization, Lake District, 997–1002
isotopic, and geochemical, constraints on basement age, Rockall Bank, 631–4
isotopic data, Rb-Sr, on Ordovician volcanic rocks, N Wales, 704–7
Italian Alps, structural evolution of Dora Maira Massif of, 1101–13
IUGS classification, of igneous rocks, 825–33
Ivisŕtoq area, W Greenland, Archaean terrane development in, 515–7
Izu Collision Zone, C Japan, basin evolution in, Mio-Pliocene, 317–30

JABALOY, A., *see* MONIE, P.
James Ross Island, Antarctica, U Cretaceous stratigraphy of, 1125–40
Japan, C, basin evolution in Izu Collision Zone, Mio-Pliocene, 317, maps 318–21; 322–30
JENKIN, G. R. T., *see* MILLER, W. M.
JENKINS, D. G., *see* WHITTAKER, A.
JENKYNS, H. C. & SENIOR, J. R., geological evidence for intra-Jurassic faulting in the Wessex Basin and its margins, 245–60, figs
JONES, G. & ROBERTSON, A. H. F., tectono-stratigraphy and evolution of the Mesozoic Pindos ophiolite and related units, northwestern Greece, 267–88, figs
JONES, J. A., a mountain front model for the Variscan deformation of the South Wales coalfield, 881–91, figs
JONES, K. A., Palaeozoic continental margin tectonics in southern Armorica, 55–64, figs
JONES, M. E., *see* HARBURY, N. A.
Juaniata Formation, USA, Ordovician magnetostratigraphy of, 953
Jubilee Slide, Variscan displacement, S Wales coalfield, 882–3
Jurassic, Lower, North Sea, coastal plain and fan delta sediments in Beryl Embayment of, 1037–47
——, Middle, estuarine facies, N Sea, 459–71
——, S England, N France, preservation of siliceous sponges in, 681–9
Jurassic ferromanganese deposits, Hungary, 655–68
Jurassic limestones, calcite cement growth mechanism in, 835–48
Jurassic sequence stratigraphy, Slyne Trough and Hebrides Basin, 197–201
Jurassic strata, Wessex Basin, abrupt lateral facies changes and faulting, 253–4

K-Ar age, of volcaniclastic carbonatite, Kaluwe, Zambia 13–15
K-Ar age rejuvenation, in hornblendes, Connemara, 989–91
K-Ar ages, and chemostratigraphy of K-bentonites, Silurian, S Scotland, Ireland, 861–8
——, fluid disturbed, in hornblendes, Dalradian, Connemara, 985–92

K-bentonites, chemostratigraphy and K-Ar ages of, Silurian, S Scotland, Ireland, 861–8
Kabus ophiolitic melange, Sudan, 85
——, and W boundary of Nubian Shield, 83–92
Kaluwe, Zambia, relations of volcaniclastic carbonatites and rift sediments, 13–15
Karakoram crust, structural, thermal evolution of, 65–82
Karamoula Formation, of Pindos Ophiolite, Mesozoic, Greece, 277
KEAREY, P., a possible basaltic deep source of the south-central England magnetic anomaly, 775–80
KEEN, D. H., *see* MADDY,
KENNAN, P. S., *see* TODD, S. P. D.
Kenya, Miocene Gilbert-type fan-delta, Lake Victoria, 1067–78
KEPPENS, E., *see* MUCHEZ, P.
KHAN, A. S. & KELLING, G., on a laminated hemipelagic facies from the Wenlock and Ludlow of the Welsh Basin [discussion of: DIMBERLINE, BELL & WOODCOCK], 1145–8, fig
Kitrinovuni Sand Formation, Neogene, Corinth Basin, Greece, 1055–6
KLEMPERER, S. L., RYAN, P. D. & SNYDER, D. B., a deep seismic reflection transect across the Irish Caledonides, 149–64, figs
——, *see* BLUNDELL, D. J.
KNELLER, B. C., a foreland basin on the southern margin of Iapetus [Short Paper], 207–10, figs
Koudounistra Conglomerate Formation, Neogene, Corinth Basin, Greece, 1056
KOUKOUVELAS, I. & PE-PIPER, G., The Oligocene Xanthi pluton, a granodiorite emplaced during regional extension, 749–58
Kremida Formation, Neogene, of Megara Basin, Greece, 924
Krevvati Formation, Mesozoic, of Pindos Ophiolite, Greece, 278–9
Kulu Formation, fan-delta deposit, Miocene, Kenya, 1068–9
Kvalfjord, and Storvik, gabbros, Finnmark, 36

Labrador Sea/Greenland continental margin, structure of, 899–908
lacustrine facies association, Dartmouth Group, S Devon, 236–7
Lake District, England, sulphur sources for Lower Palaeozoic-hosted mineralization, 993–1004
Lake Victoria, Kenya, volcanically influenced Gilbert-type fan-delta in, 1067–78
LARSEN, P. H. & BENGAARD, H.-J., Devonian basin initiation in East Greenland: a result of sinistral wrench faulting and Caledonian extensional collapse, 355–68, figs
Late Modern (Geochemical) Series, of reclamations, and salt-marsh accretion, Severn Estuary, 489
LEAKE, B. E., *see* MILLER, W. M.
LE BAS, M. J. & STRECKEISEN, A. L., the IUGS systematics of igneous rocks, 825–33, figs
LE GALL, B., crustal evolutionary model for the Variscides of Ireland and Wales from SWAT seismic data, 759–74
LEEDER, M. R., SEGER, M. J. & STARK, C. P., sedimentation and tectonic geomorphology adjacent to major active and inactive normal faults, southern Greece, 331–43, figs
——, *see* BENTHAM, P.
LEES, G. J., *see* BEVINS, R. E.
Lewes–Brighton area, U Cretaceous tectonic features of, 392–8
Ligerian Mobile Zone, of S Armorica, 56–8
Ligerian Orogeny, 60–2
lithistid sponges, Jurassic, preservation of, 681–9
lithosphere, continental, dynamics of, and basin evolution, 789–800
——, forces within, 790–2
——, oceanic, evolution of, and ophiolite genesis, 203–4
lithospheric strength, and rheological stratification, at mid-ocean ridges, 521–5
lithostratigraphy, guide to procedure, 813–5
London–Brabant Platform, crustal structure from BIRPS profiling, 447–50
London Platform, basaltic rocks beneath, 775–80
LONG, R. E., *see* BLUNDELL, D. J.
López de Bertodano Formation, of Marambio Group, Cretaceous, James Ross Island, Antarctica, 1133–6
Louba Formation, Neogene, of Megara Basin, Greece, 924
Loumnitsa Unit, of Pindos Ophiolite Group, metamorphic sole, 270
'Lower Coal Marker', of Sleipnir Formation, N Sea, 461
Lower Greensand, Bedfordshire, influence of tectonics on sedimentation, 407–11
Lower Palaeozoic-hosted mineralization, Lake District, sulphur sources for, 993–1004
LOWRY, D., BOYCE, A. J., PATTRICK, R. A. D., FALLICK, A. E. & STANLEY, C. J. a sulphur isotopic investigation of the potential sulphur sources for Lower Palaeozoic-hosted vein mineralization in the English Lake District, 993–1004, figs
Ludlow Bone Bed, origin of, 781–3
LYELL MEDAL presented to T. HALLAM, 617–8; L. FUND presented to L. PARSON, 626–7
Lynas Formation, Precambrian, Anglesey, 1087

McELROY, R., CATER, J., ROBERTS, I., PECKHAM, A. & BOND, M., on the stratigaphy and structure of SE Zanskar, Ladakh Himalaya [reply to discussion], 938
McCLELLAN, G. H. & VAN KAUWENBERGH, S. J., mineralogical and chemical variation of francolites with geological time [Short Paper], 809–12, figs
McCONNEL, B. J., STILLMAN, C. J. & HERTOGEN, J., an Ordovician basalt to peralkaline rhyolite fractionation series from Avoca, Ireland, 711–18
MacDonald sequence, Hebrides Shelf, indicator of Pleistocene ice-limits, 431–2
McERLEAN, M., *see* HUTTON, D. H. W.
McGOWAN, J. A., *see* SANDERSON, D. J.
McGUIRE, W. J., monitoring active volcanoes [conference report], 561–2
——, MURRAY, J. B., PULLEN, A. D. & SAUNDERS, S. J., ground deformation monitoring at Mt Etna; evidence for dyke emplacement and slope instability, 577–83, figs
MACINTYRE, R. M., *see* MILLER, W. M.
McKERROW, W. S., *see* TRENCH, A.
MADDY, D., KEEN, D. H., BRIDGLAND, D. R. & GREEN, C. P., a revised model for the Pleistocene development of the River Avon, Warwickshire, 473–84, figs
magmatism, appinitic, and timing of fault movement, W Scotland, 17–27
magnetic anomaly, S England, basaltic deep source for, 775–80
magnetostratigraphic timescale, for Ordovician, 949–57
magnetostratigraphies, Ordovician, correlation of global data, 949–57
magnetostratigraphy, guide to procedure, 817–8
Malaysia, Mesozoic structural evolution of, 417–9
Malvern Complex, Precambrian, England, U/Pb zircon age date of, 436–7
manganese nodules, fossil, Jurassic, Hungary, 655–68
mantle plume, steady-state, beneath continent, and Yellowstone and Columbia basin magmatism, 976–7
mantle plumes, subcontinental, and hotspots, thinspots, 973–7
Marambio Group, Cretaceous, James Ross Island, Antarctica, 1129
MARSHALL, J. E. A., quantitative spore colour, 223–33, figs
MARSHALL, J. D., *see* HENDRY, J. P.
——, *see* MUCHEZ, P.
Marvejols and Rouergue, amphibolitic complexes of, Massif Central France, 960–1
mass-flow, in lacustrine facies, Dartmouth Group, S Devon, 237–40
Massif Central, France, geochemistry of Ordovician bimodal igneous complexes, 959–71
Matekenaka Intrusive complex, Tavua, Fiji, 123
maturation, thermal aureoles and sills, Midland Valley of Scotland, N England, 215–8
MAYNARD, J. R., WIGNALL, P. B. & VARKER, W. J., a 'hot' new shale facies from the Upper Carboniferous of Northern England [Short Paper], 805–8, figs
Medieval Series, of reclamations, and salt-marsh accretion, Severn Estuary, 487–8

Megara Basin, Greece, extensional development of, 923–34
——, S Greece, sedimentation adjacent to active fault, 341–3
Mendips, Variscan frontal structures in, 771–2
Meso-Hellenic molasse, Pindos,Greece, 279
Mesozoic evolution of Irish offshore basins, 185–8
Mesozoic Peninsular Malaysia, structural evolution of, 417–9
Mesozoic Pindos ophiolite, Greece, evolution of, 267–88
metabasites, bimodal, in Ordovician, Massif Central, France, 961–5
metamorphic events, Nuuk region, W Greenland, 509
metamorphism, Bosost dome, Pyrenees, relationship with deformation, 299–314
——, contact, volatile production from Palaeozoic mudrocks during, 731–6
——, low-grade, effect on igneous rocks, 707–9
——, Mesozoic–Tertiary, Karakoram, 65–82
——, resetting Rb-Sr ages, in Acadian, N Wales, 703–10
——, retrogressive, of eclogites, Betic Cordilleras, S Spain, 801–4
microcracking, and compaction, in quartz sand, 533–6
——, and solution-precipitation creep, roles in water-weakening of quartzite, 541–8
microgravity, and energy budget analysis in volcano monitoring, 585–93
microthermometry, of vein cement, Carboniferous, Belgium, 1011–2
mid-ocean ridges, lithospheric strength and rheological stratification at, 521–5
MILLER, W. M., FALLICK, A. E., LEAKE, B. E., MACINTYRE, R. M. & JENKIN, G. R. T. fluid disturbed hornblende K-Ar ages from the Dalradian rocks of Connemara, Western Ireland, 985–92, figs
MINDSZENTY, A., *see* CRONAN, D. S.
Mio-Pliocene, C Japan, basin evolution in arc-arc collision zone, 317–30
Miocene, Naxos, Greece, extensional shear-zone of, 93–103
Miocene extension, Naxos, Greece, 93–103
Miocene Gilbert-type fan-delta, volcanically influenced, Lake Victoria, Kenya, 1067–78
MITCHELL, S. E. & WIDDOWSON, M.., a geological map of the southern Deccan Traps, India and its structural implications, 495–505, figs
Miura–Boso region, of Izu-Bonin arc, Japan, basin evolution in, 318–26
Miura Group, C Japan, basin evolution in arc-arc collision within, 317–30
MOCK, S. E. & PALMER, T. J., preservation of siliceous sponges in the Jurassic of southern England and northern France, 681–9
Moel Gilau fault, Variscan displacement, S Wales coalfield, 883–4
MOHAMED, K. R., *see* HARBURY, N.A.
Monian Supergroup, Anglesey, N Wales, lithostratigraphy, tectonic setting, 1079–90
——, NW Wales, stratigraphy of, 5–8
——, progressive deformation of South Stack and New Harbour groups of, Anglesey, 1091–1100
MONIE, P., GALINDO-ZALDIVAR, J., GONZALEZ-LODIERO, F., GOFFE, B. & JABALOY, A, $^{40}Ar/^{39}Ar$ geochronology of Alpine tectonism in the Betic Cordilleras (southern Spain), 289–97, figs
monitoring active volcanoes [thematic set] and:
ground deformation monitoring at Mt Etna, 577–83
infrared monitoring of volcanoes by satellite, 563–9
introduction: monitoring active volcanoes, 561–2
soil gas emanations as precursory indicators of volcanic eruptions, 571–6
volcano monitoring by microgravity, 585–93
monsoonal system, shifts in, from early Carboniferous palaeosols, 9–12
MOORBY, S. A., *see* CRONAN, D. S.
Morrisons Pool Formation, Tavua, Fiji, banakite lava flows of, 122–3
MORTIMORE, R. N. & POMEROL, B., Upper Cretaceous tectonic disruptions in a placid Chalk sequence in the Anglo-Paris Basin, 391–404, figs
MORTON, A. C. & TAYLOR, P. N., geochemical and isotopic constraints on the nature and age of basement rocks from Rockall Bank, NE Atlantic [Short Paper], 631–4
MORTON, N., *see* TRUEBLOOD, S.
mountain front model, for Variscan deformation of S Wales coalfield, 881–91
MUCHEZ, P., VIAENE, W. A., KEPPENS, E., MARSHALL, J. D. & VANDENBERGHE, N., vein cements and the geochemical evolution of subsurface fluids in the Visean of the Campine Basin, (Poederlee borehole, Belgium), 1005–17, figs
mudflats, and salt marshes, upward growth factors, 490–1
MUELLER, P. A., *see* DALLMEYER, R. D.
MUIR, R. J., *see* DALY, J. S.
Mupe Bay, Dorset, erosion surfaces in basal Wealden Beds of, 105–13
MURCHISON, D. G., *see* RAYMOND, A. C.
MURCHISON MEDAL presented to J. CANN, 616–7; M. FUND presented to D. SMITH, 626
MURPHY, F. C., *see* TODD, S. P..
MURRAY, J. B., *see* MCGUIRE, W. J.
Mylou Vrachia Formation, Neogene, of Megara Basin, Greece, 924
Mynydd Preseli, S Wales, rhyolitic lavas of, 727

nappe formation, during Archaean terrane assembly, W Greenland, 507–19
Naxos, Greece, Alpine evolution of extensional shear zone, 93–103
NEC line, and deep structure of Northumberland Trough, 47–9
Neogene extensional basin, Megara, Greece, tectonosedimentary development of, 923–34
Neogene to Quaternary rifting, Corinth Basin, Greece, 1049–65
neptunian dykes, Mesozoic, in Carboniferous Limestone, Mendips, 252–3
neptunian sills, Wessex Basin, and Jurassic faulting, 245–52
New Harbour Group, of Monian Supergroup, Anglesey, facies interpretation, 1086–8
New Harbour/Gwna Group, of Monian, Anglesey, relationships between, 6–7
Newfoundland, Ordovician magnetostratigraphy of, 952
nomenclature, for igneous rocks, 831–3
Normandy, lithistid sponges in Bathonian of, 682–5
NORRELL, G. T., lithospheric strength and rheological stratification at mid-ocean ridges, 521–5, figs
North Sea, basement depth beneath Viking Graben, 261–5
——, C and S, deep crustal structure from seismic reflection profiling, 445–57
——, distribution of granite and Devonian sediments on E Shetland Platform of, 635–8
——, estuarine facies model for M Jurassic Sleipnir Formation, 459–71
——, L Jurassic coastal plain and fan delta sediments in Beryl Embayment, 1037–47
——, U Permian evaporite basins in, 1019–36
North and South Connemara sub-zones, W Ireland, Silurian modifications of Ordovician terranes, 167–8
Northumberland Trough, development of, and deep crustal structure, 41–53
Norway, N, late Proterozoic orogen, geochronology of, 29–40
Nuba Mountains, Sudan, geology of, 83
Nubian Shield, Sudan, W boundary, and Kabus ophiolitic melange, 83–92
NUTMAN, A. P., *see* FRIEND, C. R. L.
Nuuk region, southern W Greenland, terrane assemblage in, 507–19
Nyamsingula fan-delta, volcanically influenced, Miocene, Kenya, 1069–75
oceanic lithosphere, evolution of, and ophiolite genesis, 203–4

ODIN, G. S., *see* HUFF, W. D.
offshore sedimentary basins, Ireland, development of, 181–9
oil source-rock, new, in radioactive shale facies, U Carboniferous, N England, 805–8
oil-cemented sandstone, Wealden, Mupe Bay, Dorset, 109–10
Ojén nappe, Betic Cordilleras, S Spain, eclogites and subduction in, 804
Oligocene, N Greece, pluton emplaced during regional extension, 749–58
ophiolite, Mesozoic, Pindos, Greece, evolution and tectonostratigraphy, 267–88
ophiolite genesis, and evolution of oceanic lithosphere, 203–4
ophiolites, in NE and E Africa, and Proterozoic crustal growth, 600–6
ophiolitic melange, Sudan, and W boundary of Nubian Shield,83–92
OPPENHEIMER, C. M. M. & ROTHERY, D. A., infrared monitoring of volcanoes by satellite, 563–9, figs
Ordovician, Avoca, Ireland, basalt to rhyolite fractionation series in, 711–18

Ordovician bimodal igneous complexes, Massif Central, geochemistry, tectonics, 959–71
Ordovician bimodal volcanism, SW Wales, and petrogenesis of silicic rocks, 719–29
Ordovician history, of Iapetus in Britain, palaeomagnetic constraints on, 423–5
Ordovician magnetostratigraphies, correlation of global data, 949–57
Ordovician terranes, W Ireland, end-Silurian modification of, 165–71
O'Reilly, B. M., Shannon, P. M. & Vogt, U., seismic studies in the North Celtic Sea Basin: implications for basin development, 191–5, figs
organic matter, from pelites, released during contact metamorphism, 731–6
Orliakas Group, Late Cretaceous, of Pindos Ophiolite, Greece, platform and slope carbonates, 279
orogenesis, at west equatorial Pacific margin, 415–6
Otter Bank sequence, W Shetland Shelf, indicator of Pleistocene ice-limits, 433–4
Ouse valley, E Sussex, Mesozoic sub-surface structures, 397–8
Ox Mountains granulites, as lower crust, 131–5

Pacific margin, west equatorial, orogenesis at, 415–6
Padarn Tuff Formation, Precambrian, Wales, U/Pb zircon age date of, 436–7
palaeocalcretes, used in assessing carbon dioxide content of ancient atmospheres, 946–8
palaeogeography, of coastal plain, fan delta, Dunlin Group, L Jurassic, North Sea, 1040–1
palaeomagnetism, constraints on Ordovician history of Iapetus in Britain, 423–5
palaeosol, polygenetic, Silurian, SW Ireland, 849–59
palaeosol profile, in Arundian, S Wales, 9–11
palaeosols, early Carboniferous, ferrolysis in, and monsoonal system shifts, 9–12
palaeo-vegetation, and $\delta^{13}C$ composition of palaeo-calcretes, 946–7
Palaeozoic continental margin, S Armorica, 55–64
Palaeozoic sea level, and continental hypsometries, 648–9
Paliochori Group, Neogene, of Megara Basin, Greece, 924
Palmer, T. J., *see* Mock, S. E.
palynofacies, in Late Silurian regressive sequence, Welsh Borderland, Wales, 781–4
palynology, of Santa Marta and López de Bertodana Formations, Cretaceous, James Ross Island, Antarctica, 1138–9
Pan African Orogeny (Ross Orogeny), recognized in Antarctica and SE Africa, 1116; 1120–1
Panmah ultramafic-mafic unit, Karakoram, 69
Parana Basin, and Tristan mantle plume, 975–6
Parkes, M. & Vaughan, A., on sequence stratigraphy of the Welsh Basin [discussion of: Woodcock], 1144
Parnell, J., petroleum geology and basin development on the North West Seaboard, UK [conference report], 595–6
Pattrick, R. A. D., *see* Lowry, D.
Pays de Bray, U Cretaceous of, 400–1
Pays de Caux: Antifer–Senneville, Chalk of, 400–1
Pe-Piper, G., *see* Koukouvelas, I.
peckham, A., *see* McElroy, R.
pelites, source of volatiles in contact metamorphism, Cornwall, 731–6
peloidal cements, in Jurassic sponge buildups, 685–7
Pembrokeshire, Wales, Ordovician bimodal volcanism in, 719–29
Permian, U of NE England, evaporite basins in, 1019–36
petrogenesis of silicic rocks, evidence from Ordovician bimodal volcanism, SW Wales, 719–29
petroleum geology, and basin development, NW seaboard, UK, 595–6
Pharaoh, T. C., *see* Tucker, R. D.
Phillips, E., the lithostratigraphy, sedimentology and tectonic setting of the Monian Supergroup, western Anglesey, North Wales, 1079–90, figs
——, progressive deformation of the South Stack and New Harbour Groups, Holy Island, western Anglesey, North Wales, 1091–1100, figs
phosphorites, sedimentary, occurrence with francolites, 809–12
Piboule, M., *see* Briand, B.
Pickering, K. T., tectonics and sedimentation [conference report], 315–6
——, Soh, W. & Taira, A., scale of tsunami-generated sedimentary structures in deep water [Short Paper], 211–14, figs
——, *see* Soh, W.
Pigaddi Dourakis Formation, Neogene, of Megara Basin, Greece, 924
Pindos Flysch Group, Tertiary, Greece, a turbidite basin, 279
Pindos ophiolite, Greece, tectono-stratigraphy, 267, maps 268–9; 270–88
Pirrie, D., *see* Crame, J. A.
Pistarda Formation, Neogene, of Megara Basin, Greece, 924
plate margin, Cyprus, Quaternary uplift and sea-level change at, 909–21
Pleistocene, lower, middle, Cyprus, uplift and sedimentation, 910–16
Pleistocene development, of R Avon, Warwickshire, revised model, 473–84
Pleistocene ice-limits, NW Britain, indicated by submarine end-moraines, 431–4
Pliocene Burdur basin, SW Turkey, tectonics, seismicity, sedimentation, 345–54
Pliocene deformation, of Corinth Basin, Greece, 1058–61
Pliocene to Quaternary faulting, of Corinth Basin, Greece, 1061–3
pluton, emplaced during regional extension, Oligocene, Xanthi, Greece, 749–58
Poás volcano, Costa Rica, monitored by microgravity and energy-budget analysis, 587–91
Poederlee borehole, Belgium, subsurface fluids in Visean, 1005–17
Polgari, M., *see* Cronan, D. S.
Pomerol, B., *see* Mortimore, R.N.
Poole, A. J. & Robertson, A. H. F., Quaternary uplift and sea-level change at an active plate boundary, Cyprus, 909–21, figs
Poole, E., on the correlation of the Triassic–Jurassic boundary in England and Austria [further discussion of: Hallam and Cope], 943–4
Porcupine Basin, development of, 184
Porsangerhalvøya granites, Finnmark, Rb-Sr geochronology of, 32–6
Porth Maen Melyn, S Wales, Fishguard Volcanic Group of, 723–4
Pouget, P., Hercynian tectonometamorphic evolution of the Bosost dome (French–Spanish central Pyrenees), 299–314, figs
Praslin, Seychelles, dyke ages and extent of Deccan, 980–1
Precambrian, Late, of S Britain, U-Pb zircon ages of igneous rocks, 435–43
preservation, of siliceous sponges, in Jurassic of S England, N France, 681–9
President's Award presented to D. Waltham, 627
President's Award presented to J. Wheeler, 627–8
pressure solution, as compaction mechanism,in quartz sand, 527–39
——, experimental, in halite, 549–60
Prestwich Medal presented to J. Kennedy, 618–9
Price, S. P. & Scott, B., Pliocene Burdur basin, SW Turkey: tectonics, seismicity and sedimentation, 345–54, figs
Prosser, S., *see* Bentham, P.
Proterozoic continental margin development, Channel Islands, 691–702
Proterozoic crustal growth, and ophiolites, NE and E Africa, 600–6
Proterozoic to Mesozoic link, between SE Africa and Antarctica, 1115–23
Proterozoic orogen, in Caledonides, N Norway, 29–40
Psatha-Skinos fault, S Greece, sedimenation and geomorphology adjacent to 337–42
Pullen, A. D., *see* McGuire, W. J.
Pyrenees, Hercynian evolution of Bosost dome of, 299–314

quartz sands, experimental compaction of, at low stress and temperature, 527–39
quartzite, water weakening by microcracking and solution-precipitation creep, 541–8
Quaternary uplift, and sea-level change, at active plate boundary, Cyprus, 909–21

Rb-Sr isotopic data, geochronology, of Porsangerhalvøya granites, Finnmark, 32–4
Rb-Sr whole-rock ages, reset, during Acadian metamorphism, N Wales,703–10
R. H. Worth Prize presented to A. Herriott, 625
Rabulu Gap Intrusive Complex, Tavua, Fiji, 123

radiant heat, from volcanoes, measurement of, 563–6
^{222}radon (soil gas), as precursory indicator of volcanic eruptions, 572–5
RAE, J. E., *see* WRIGHT, V. P.
Ramsey Island, Ordovician volcanics of, 723
RASUL, S. M., *see* RICHARDSON, J. B.
Ratagain granite, Scotland, sinistral deformation of, and age of Great Glen fault, 1–4
Ratagain plutonic complex, W Scotland, geochronology, 19–23
Ravenstonedale Shelf, Carboniferous sequence compared to basin fill, Stainmore Basin, 384–5
RAWSON, P. F., *see* WHITTAKER, A.
RAYMOND, A. C. & MURCHISON, D. G., the relationship between organic maturation, the widths of thermal aureoles and the thicknesses of sills in the Midland Valley of Scotland and Northern England [Short Paper], 215–8, figs
READING, H. G., the classification of deep-sea depositional systems by sediment calibre and feeder system [Short Paper], 427–30, fig
READMAN, P., *see* FORD, M.
REAY, D. M., *see* HOLLOWAY, S.
reflection seismics, for shallow investigations, C England case study, 219–22
Rema Mazi Formation, Neogene, of Megara Basin, Greece, 924
remote sensing, of hot volcanoes, 566–8
resetting, of Rb-Sr whole-rock ages, during Acadian metamorphism, N Wales, 703–10
REX, D. C., *see* TURNER, D. C.
rheological stratification, and lithospheric strength, at mid-ocean ridges, 521–5
rhizolite (root mat) calcretes, and composition of ancient atmospheres, 947–8
Rhodope metamorphic complex, N Greece, Xanthi granodiorite of, 749–58
Rhoscolyn anticline, Monian Supergroup, Anglesey, structures within 1096
Rhoscolyn Formation, Precambrian, Anglesey, 1086
rhyolites, and basalts, in bimodal association, SW Wales, 719–29
——, ——, in fractionation series, Avoca, Ireland, 712–15
RICE, H. N., *see* DALY, J. S.
RICHARDS, P. C., an estuarine facies model for the Middle Jurassic Sleipnir Formation: Beryl Embayment, North Sea, 459–71, figs
——, evolution of Lower Jurassic coastal plain and fan delta sediments in the Beryl Embayment, North Sea, 1037–47, figs
RICHARDSON, J. B. & RASUL, S. M., on palynofacies in a Late Silurian regressive sequence in the Welsh Borderland and Wales [reply to discussion], 783–4
RIDING, J. B., *see* CRAME, J. A.
ROACH, R. A., *see* BEVINS, R. E.
ROBERTS, I., *see* McELROY, R.
ROBERTS, S., *see* SANDERSON, D. J.
ROBERTSON, A. H. F., *see* JONES, G.
——, *see* POOLE, A. J.
ROBINSON, D., *see* WRIGHT, V. P.
Rockall Bank, nature, age of basement, 631–4
ROGERS, G., DEMPSTER, T. J., BLUCK, B. J. & TANNER, P. W. G., on a high precision U-Pb age for the Ben Vuirich granite: implications for the evolution of the Scottish Dalradian Supergroup [reply to discussion], 205–6
——& DUNNING, G. R., geochronology of appinitic and related granitic magmatism in the W Highlands of Scotland: constraints on the timing of transcurrent fault movement, 17–27, figs
Romano-British Series, of reclamations, and salt-marsh accretion, Severn Estuary, 487
ROSE, W. J., *see* SETTER}ELD, T. N.
Ross Orogeny, Pan African Orogeny, recognized in Antarctica and SE Africa, 1116
ROTHERY, D. A., *see* OPPENHEIMER, C. M. M.
Rubha Mo'r appinite, W Scotland, geochronology, 18–22
RUNDLE, C. C., *see* HU‡, W. D.
RUSHTON, A. W. A., *see* WHITTAKER, A.
Rusinga Agglomerate, Miocene, Kenya, 1069–70
Rusinga Island, Lake Victoria, Kenya, Gilbert-type fan-delta in Miocene of, 1067–78
RYAN, P. D. & DEWEY, J. F., a geological and tectonic cross-section of the Caledonides of western Ireland, 173–80, figs
——, *see* BROCK, A.
——, *see* HARPER, D. A. T.
——, *see* KLEMPERER, S. L.
RYMER, H., *see* BROWN, G. C.

SABROUX, J.-C., *see* BAUBRON, J.-C.
St. David's Head intrusion, SW Wales, fractionated sill, 721–3
salt-marsh accretion, and sea-level movement, Severn Estuary, 485–94
salt-marsh facies association, Sleipnir Formation, N Sea, 467
SANDERS, I. S., exhumed lower crust in NW Ireland, and a model for crustal conductivity, 131–5, figs
SANDERSON, D. J., ROBERTS, S., McGOWAN, J. A. & GUMIEL, P., Hercynian transpressional tectonics at the southern margin of the Central Iberian Zone, west Spain, 893–8, figs
Santa Marta Formation, of Marambio Group, Cretaceous, James Ross Island, Antarctica, 1129–30
SANTALLIER, D., *see* BRIAND, B.
satellite monitoring of volcanoes, by infrared, 563–9
SAUNDERS, S. J., *see* McGUIRE, W. J.
SCHUTJENS, P. M. T.M., experimental compaction of quartz sand at low effective stress and temperature conditions, 527–39, figs
Scotland, Dalradian Supergroup, and U-Pb age of Ben Vuirich granite, 205–6
——, Midland Valley, and N England, organic maturation related to width of thermal aureoles, 215–8
——, S, and Ireland, chemostratigraphy and K-Ar ages of K-bentonites in, 861–8
——, sinistral deformation of Ratagain granite, and age of Great Glen fault, 1–4
——, W Highlands, geochronology of magmatism and constraints on timing of fault movement, 17–27
SCOTT, B., *see* PRICE, S. P.
SCOTT-ROBINSON, R., *see* BLUNDELL, D. J.
sea-floor spreading, in Labrador Sea, inception of, 899–908
sea level, and continental hypsometries, 644–5
sea-level change, Quaternary, at active plate margin, Cyprus, 909–21
sea-level fluctuations, versus tectonic influence, on sedimentation, early Cretaceous, Bedfordshire, 413–14
sea-level movement, and salt-marsh accretion, Severn Estuary, 485–94
SEARL, A., early Dinantian dolomites from East Fife: hydrothermal overprinting of early diagenetic fabrics?, 737–47
SEARLE, M. P., symposium on ophiolite genesis and evolution of oceanic lithosphere [conference report], 203–4
——& TIRRUL, R., structural and thermal evolution of the Karakoram crust, 65–82, figs
sedimentary basins, in tectonic context, 789–90
sedimentary structures, tsunami-generated, 211–4
sedimentation, and geomorphology near normal faults, S Greece, 331–43
——, and tectonics, 315–6
SEGER, M. J., *see* LEEDER, M. R.
Seiland Province gabbros, Finnmark, geochronology 36–7
seismic reflection profiling, BIRPS, and crustal structure of C and S North Sea, 445–57
seismic reflection transect, across Irish Caledonides, 149–64
seismic reflections, deep, structural significance, 792–3
seismic sequence stratigraphy, and tectonics, 935–7
seismic stratigraphy, guide to procedure, 818
seismic studies, and basin development, N Celtic Sea Basin, 191–5
SENIOR, J. R., *see* JENKYNS, H. C.
sequence stratigraphy, of English Zechstein, 1030–5
——, guide to procedure, 818–9
——, seismic, and tectonics, 935–7
——, and structural styles, Slyne Trough and Hebrides Basin, 197–201
——, of Welsh Basin, 1144

sequence stratigraphy of carbonate–evaporite deposits, U Permian, N England, 1019–36
SETTERFIELD, T. N., EATON, P. C., ROSE, W. J. & SPARKS, S. J., the Tavua Caldera, Fiji: a complex shoshonitic caldera formed by concurrent faulting and downsagging, 115–27, figs
Severn Estuary, salt-marsh accretion and sea-level movement, archaeological and historical contribution, 485–94
Seychelles, tholeiitic dykes and original extent of Deccan, 979–83
shale facies, radioactive, U Carboniferous, N England, potential oil source-rock, 805–8
SHANNON, P. M., the development of Irish offshore sedimentary basins, 181–9, figs
——, *see* BROCK, A.
——, *see* O'REILLY, B. M.
SHARPE, I. & USTAOMER, T., Tethyan workshop 1991 [conference report], 1141–3
shear zone, extensional, Alpine evolution of, Naxos, Greece, 93–103
shoshonitic caldera, Tavua, Fiji, formed by downfaulting, downsagging, 115–27
shoshonitic suite, Tavua Caldera, Fiji, 115–27
Siberian Platform, Ordovician magnetostratigraphy of, 950
Silesian basic igneous rocks, as source for south C England magnetic anomaly, 775–80
silicic rocks, petrogenesis of, 719–29
silicic volcanic rocks, N Pembrokeshire, Wales, petrogenesis of, 723–7
Silurian, and Early Devonian sinistral deformation of Ratagain granite, and age of Great Glen fault, 1–4
——, S Scotland, Ireland, chemostratigraphy, K-Ar ages of K-bentonites, 861–8
——, SW Ireland, polygenetic palaeozol from, 849–59
sinistral wrench faulting, and basin initiation, Devonian, E Greenland, 362–3
Skerries Formation, Precambrian, Anglesey, 1087
Sleipnir Formation, M Jurassic, N Sea, estuarine facies model for, 459–71
Slishwood, W Ireland, exhumed lower crust near, 131–5
SLOAN, R. J., *see* WRIGHT, V. P.
slope aprons, and organisation of deep-sea depositional systems, 429
slope instability, and dyke emplacement, Etna, evidence from ground deformation monitoring, 577–83
——, dyke-related, Mt Etna, 580–2
Slyne–Erris–Donegal basins, development of, 184
Slyne Trough, and Hebrides Basin, sequence stratigraphy and structural styles, 197, maps 198–9; 200–1
Sm-Nd analyses, diorites, Guernsey, Sark, 696
Sm-Nd mantle model ages, and affinities of Inishtrahull gneiss, Donegal, 639–42
SMITH, D. G., *see* WHITTAKER, A.
SMITH, S. A. & HUMPHREYS, B., sedimentology and depositional setting of the Dartmouth Group, Bigbury Bay, south Devon, 235–44, figs
SNYDER, D. B., *see* KLEMPERER, S. L.
Society awards for 1991, 629–30
SOH, W., PICKERING, K. T., TAIRA, A. & TOKUYAMA, H., basin evolution in the arc-arc Izu Collision Zone, Mio-Pliocene Miura Group, central Japan, 317–30, figs
——, *see* PICKERING, K. T.
soil carbonates, ancient, and carbon dioxide content of ancient atmospheres, 946
soil gas emanations, as precursory indicators of volcanic eruptions, 571–6
solution-precipitation creep, and microcracking, roles in water-weakening of quartzite, 541–8
South Mayo sub-zone, W Ireland, Silurian modification of Ordovician terrane, 167
South Mayo Trough, W Ireland, volcaniclastic sequence of, 176–7
South Stack, and New Harbour Groups, of Monian Supergroup, progressive deformation of, 1091–1100
South Stack Formation, Precambrian, Anglesey, 1083
South Stack Group, of Monian Supergroup, Anglesey, facies interpretation, 1082–6
South Wales coalfield, mountain front model for Variscan deformation in, 881–91
Southern Brittany migmatite belt, 58–60
Southern North Sea Basin, and Central Graben, crustal structure from BIRPS profiling, 450–2
Spain, Alboran domain, $^{40}Ar/^{39}Ar$ dating of metamorphic rocks of, 289–97
——, C Iberian Zone, transpressional tectonics in, 893–8
——, S, eclogites and subduction in Ojén nappe of Betic Cordilleras, 801–4
——, ——, geochronology of Betic Cordilleras, 289–97
SPARKS, S. J., *see* SETTERFIELD, T. N.
SPIERS, C. J., *see* DEN BROK, S. W. J.
sponges, siliceous, preservation of, in Jurassic, S England, N France, 681–9
spore colour, quantitative, 223–33
spreading centres, lithospheric strength at, 521–5
Stainmore Basin, N England, extensional basin tectonics and sedimentation in L Carboniferous, 379–90
STANLEY, C. J., *see* LOWRY, D.
Stapeley Volcanic Formation, Wales, Ordovician magnetostratigraphy of, 952–3
STARK, C., *see* BENTHAM, P.
——, *see* LEEDER, M. R.
statistical system, for palaeontologists, 939–42
STEPHENS, W. E., *see* DEVEY, C. W.
STERN, R. J., *see* ABDELSALAM, M. G.
STEVENSON, D., *see* BROWN, G. C.
STILLMAN, C.-J., *see* MCCONNEL, B. J.
STOKER, M. S. & HOLMES, R., submarine end-moraines as indicators of Pleistocene ice-limits off northwest Britain [Short Paper], 431–4, figs
STRACHAN, R. A., *see* DALLMEYER, R. D.
stratigraphical names, formal, informal, usage, 821–3
stratigraphical procedure, guide to, 813–24
STRECKEISEN, A. L., *see* LE BAS, M. J.
strombolian eruptions, satellite IR monitoring of, 565
Strontian plutonic complex, W Scotland, geochronology, 18–23
stylolites, related to pressure solution, 558–9
sub-tidal facies association, Sleipnir Formation, N Sea, 466–7
subduction, recorded by eclogites, Betic Cordilleras, S Spain, 801–4
submarine end-moraines, indicating Pleistocene ice-limits, NW Britain, 431–4
submarine fans, point source, and organization of depositional systems, 428–9
subsidence scaling parameters, for basins, 207–8
Sudan, Kabus ophiolitic melange, and W boundary of Nubian Shield, 83–92
SUE TYLER FRIEDMAN MEDAL presented to W. SARJEANT, 624–5
sulphur isotopes, and sulphur sources for Lower Palaeozoic-hosted mineralization, Lake District, 993–1004
sutures, cryptic, and tectonostratigraphic terranes, Palaeozoic, Britain, Ireland, 869–71
——, faunal evidence for, Palaeozoic, Britain, Ireland, 871–2
SWAT seismic data, crustal evolutionary model of Variscides derived from, 759–74

TAIRA, A., *see* PICKERING K. T.
——, *see* SOH, W.
TANNER, P. W. G., *see* ROGERS, G.
taphonomy, of siliceous sponges, Jurassic, 681–9
Tarim and Junggar Basins, NW China, evolution of, adjacent to Tien Shan Range, 369–78
Tasiusarssuaq terrane, W Greenland, Archaean development of, 509–19
Tavua Caldera, Fiji, complex shoshonitic caldera at, 115–27
TAYLOR, P. N., *see* MORTON, A. C.
tectonic uplift, versus sea-level change, Quaternary, Cyprus, 918–20
tectonics, and sedimentation, 315–6
tectonics and sedimentation [thematic set] and:
  basin evolution, Izu Collision Zone, Japan, 317–30
  basin evolution, within Tien Shan Range, NW China, 369–78

tectonics and sedimentation [thematic set] and *(contd.)*
Devonian basin initiation, E Greenland, by wrench faulting and extensional collapse, 355–68
influence of tectonics on sedimentation, Cretaceous, England, 405–14
Lower Carboniferous Stainmore Basin, extensional tectonics and sedimentation in, 379–90
Pliocene Burdur Basin, Turkey, tectonics, seismicity, sedimentation, 345–54
sedimentation and tectonic geomorphology, adjacent to faults, S Greece, 331–43
introduction: tectonics and sedimentation 315–6
U Cretaceous tectonic disruptions in Chalk sequence, Anglo-Paris Basin, 391–404
tectonics, and seismic sequence stratigraphy, 935–7
tectonothermal chronology, of Cadomian arc development, Channel Islands, 691–702
TEDESCO, D., *see* BAUBRON, J.-C.
terrace model, river Avon, re-interpreted, 474–83
terrane assembly, nappe formation during, Archaean, Godthåbsfjord, W Greenland, 507–19
terranes, Ordovician, W Ireland, end-Silurian modifications of, 165–71
Tertiary igneous activity, Xanthi pluton, N Greece, 749–50
Tertiary Igneous Province, Britain, and subcontinental thinspots, 974–5
Tertiary uplift, and Chalk porosity, Western Approaches, 669–79
Tethyan ferromanganese oxide deposits, Jurassic, Hungary, 665–68
Tethyan workshop, 1991, 1141–3
thermal maturation, and sediment decompaction, in Chalk, 676
thermobarometry, of metamorphic rocks, Karakoram, 69–72
thinspots, hotspots, mantle plumes, subcontinental, 973–7
tholeiitic dykes, Seychelles, and original extent of Deccan, 979–83
THOMAS, A. T., *see* WHITTAKER, A.
THOMPSON, R. N. & GIBSON, S. A., subcontinental mantle plumes, hotspots and pre-existing thinspots, 973–7, figs
THOMSON, M. R. A., *see* CRAME, J. A.
Tien Shan Range, NW China, basin evolution in, 369–78
TIRRUL, R., *see* SEARLE, M. P.
TODD, S. P., MURPHY, F. C. & KENNAN, P. S., on the trace of the Iapetus suture in Ireland and Britain, 869–80, figs
TOKUYAMA, H., *see* SOH, W.
Tombes Koukies Group, Neogene, of Megara Basin, Greece, 924
Torridonian sediments, sourced from Rockall area, 631–4
TORSVIK, T. H. & TRENCH, A., the Ordovician history of the Iapetus Ocean in Britain: new palaeomagnetic constraints [Short Paper], 423–5, figs
Toumpaniari Formation, Neogene, of Megara Basin, Greece, 924
TORSVIK, T. H. *see* TRENCH, A.
TOUTAIN, J.-P., *see* BAUBRON, J.-C.
trace element partitioning, in calcite cements, and cryustal growth during diagenesis, 835–48
——, in zoned calcite cements, 840–3
transcurrent fault movement, timing constrained by geochronology of magmatism, W Highlands, Scotland, 17–27
transgressive systems tract, with radioactive shales, U Carboniferous, N England, 805–8
transpressional tectonics, Hercynian, at S margin of Central Iberian Zone, W Spain, 893–8
Treffgarne Volcanic Formation, S Wales, Ordovician magnetostratigraphy of, 950–1
TRENCH, A., MCKERROW, W. S. & TORSVIK, T. H., Ordovician magnetostratigraphy: a correlation of global data, 949–57
—— *see* TORSVIK, T. H.
Triassic–Jurassic boundary, correlation of, England, Austria, 943–4
Triassic–Jurassic boundary in England and Austria, 420–2
TRUEBLOOD, S. & MORTON, N., comparative sequence stratigraphy and structural styles of the Slyne Trough and Hebrides Basin, 197–201, figs
tsunami-generated sedimentary structures, scale of, in deep water, 211–14
TUBIA, J. M. & GIL IBARGUCHI, J. I., eclogites of the Ojén nappe: a record of subduction in the Alpujárride complex (Betic Cordilleras, southern Spain) [Short Paper], 801–4, figs
TUCKER, M. E., sequence stratigraphy of carbonate–evaporite basins: models and application to the Upper Permian (Zechstein) of northeast England and adjoining North Sea, 1019–36, figs
TUCKER, R. D. & PHARAOH, T. C., U-Pb zircon ages for Late Precambrian igneous rocks in southern Britain, 435–43, figs
Turkey, SW, tectonics, seismicity, sedimentation of Pliocene Burdur basin, 345, map 346; 347–54
TURNER, D. C. & REX, D. C., volcaniclastic carbonatite at Kaluwe, Zambia: age and relations to sedimentary rocks in the Zambezi rift valley [Short Paper], 13–15, fig
Turtle Pool Formation, Tavua, Fiji, sediments, shoshonitic lava flows of, 120–2

U-Pb age, of Ben Vuirich granite, and evolution of Scottish Dalradian Supergroup, 205–6
U-Pb ages, of appinites and related granites, W Scotland, 20–23
U-Pb zircon age, for Inishtrahull gneiss, Donegal, Ireland, 639–42
U-Pb zircon ages, for Late Precambrian igneous rocks, S Britain, 435–43
U-Pb zircon analyses, diorites, Guernsey, Sark, 694–6
U-Pb zircon geochronology, of Porsangerhalvøya granites, Finnmark, 34
UK, and French, continental shelves, Western Approaches, Chalk porosity and Tertiary uplift, 669–79
——, petroleum geology and basin development, NW seaboard, 595–6
UK continental shelf, Pleistocene ice-limits on, 434
Uriconian Volcanic Group, Shropshire, U/Pb zircon age date of, 438
USTAOMER, T., *see* SHARP, I.

VAN KAUWENBERGH, S. J., *see* MCLELLAN, G. H.
VANDENBERGHE, N., *see* MUCHEZ, P.
VANSTONE, S. D., *see* WRIGHT, V. P.
——, *see* WRIGHT, V. P.
Variscan deep structures, Dublin area, Ireland, 764–7
Variscan frontal structures, in Ireland, 760–4
——, SW Wales, 767–71
Variscan deformation, S Wales coalfield, mountain front model for, 881–91
Variscides, SW Ireland, interpretation of gravity data over, 137–48
——, Wales, Ireland, crustal model of, derived from SWAT seismic data, 759, maps 760–1; 762–74
VARKER, W. J., *see* MAYNARD, J. R.
Vastergotland, Sweden, Ordovician magnetostratigraphy of, 950
VIAENE, W. A., *see* MUCHEZ, P.
Viking Graben, analogue of, in Cenozoic Megara basin, S Greece, 331–43
——, N North Sea, depth and configuration of crystalline basement beneath, 261–5
Visean, Belgium, geochemical evolution of subsurface fluids in, 1005–17
vitrinite reflectivity, and quantitative spore colour, 227–9
VOGT, U., *see* O'REILLY, B. M.
volatiles, produced from pelites during contact metamorphism, 731–6.
volcanic eruptions, soil gas emanations as precursory indicators of, 571–6
volcaniclastic carbonatite, Kaluwe, Zambia, age and relations to Zambezi rift sediments, 13–15
volcano monitoring, by microgravity and energy budget analysis, 585–93
volcanism, bimodal, Ordovician, SW Wales, 719–29
volcanoes, active, monitoring of, 561–2
——, infrared monitoring of, by satellite, 563–9
Vourinos ophiolite, compared with Pindos ophiolite, 283

Wales, Ireland, crustal model of Variscides from SWAT seismic data, 759–74
Wales, N. lithostratigraphy, tectonic setting, of Monian Supergroup of Anglesey, 1079–90
——, ——, resetting of Rb-Sr ages during Acadian metamorphism, 703–10
——, ——, progressive deformation of Monian Supergroup, Holy Island, 1091–1100
——, NW, Monian Supergroup stratigraphy in, 5–8

——, SW, Ordovician volcanism, and petrogenesis of silicic rocks, 719–29
——, Welsh Borderland, palynofacies in Silurian regressive sequence, 781–4
WANG, G. R., *see* ALLEN, M. B.
Warren House Formation, Precambrian, England, U/Pb zircon age date of, 437–8
Warwickshire, revised model for Pleistocene development of R Avon, 473–84
water weakening, of quartzite, by microcracking, 541–8
waterbed model, rheological model for crust/Moho, 794–5
WATKEYS, M. K., *see* GROENEWALD, P. B.
Wealden Beds, Dorset, erosion surfaces in, 105–13
Welsh Basin, laminated hemipelagic facies in Silurian of, 1145–8
——, sequence stratigraphy of, 1144
Wenlock palaeosol, SW Ireland, 849–59
Wessex Basin, evidence for intra-Jurassic faulting in, 245, map 246; 247–60
WEST, T. E., *see* BLUNDELL, D. J.
Western Approaches, Chalk porosity and Tertiary uplift,669, maps 670; 671–9
Western Ghats, India, Deccan Traps of, 495–505
Westport Complex, W Ireland, and Highland Boundary Complex, 175
WHEELER, J., structural evolution of a subducted continental silver: the northern Dora Maira massif, Italian Alps, 1101–13, figs
White Limestone Formation, Jurassic, calcite cement growth mechanism in, 835–48
White Marl Formation, Neogene, Corinth Basin, Greece, 1054–5
WHITTAKER, A., COPE, J. C. W., COWIE, J. W., GIBBONS, W., HAILWOOD, E. A., HOUSE, M. R., JENKINS, D. G., RAWSON, P. F., RUSHTON, A. W. A., SMITH, D. G., THOMAS, A. T. & WIMBLEDON, W. A., a guide to stratigraphical procedure, 813–24, figs
WIDDOWSON, M., *see* MITCHELL, C.
WIGNALL, P. B., *see* MAYNARD, J. R.
WILKINSON, B. H., *see* ALGEO, T. J.
WILKINSON, J. J., volatile production during contact metamorphism: the role of organic matter in pelites, 731–6
WILLIAM SMITH MEDAL presented to D. PRETORIUS, 619–21; W. S. FUND presented to J. MARTIN, 627
WILLIAMS, D. M. & HARPER, D. A. T.., end-Silurian modifications of Ordovician terranes in western Ireland, 165–71, figs
WILLIAMS, G. D. & DOBBS, A., tectonics and seismic sequence stratigraphy [conference report], 935–7
WIMBLEDON, W. A., *see* WHITTAKER, A.
WINCH line, Caledonian thrust zone and Northumberland Trough, 49
Windermere Group, Silurian, Lake District, 207
WINDLEY, B. T., *see* ALLEN, M.. B..
WIRE, reflection profiles, across Caledonides, 151–6
WOLLASTON MEDAL presented to W. BROECKER, 615–6; W. FUND presented to A. MORTON, 625–6
WOODCOCK, N., on sequence stratigraphy of the Welsh Basin [reply to discussion], 1144
WRIGHT, V. P. & FAULKNER, T. J., of the significance of metre-scale allocycles in the quest for a fundamental stratigraphic unit [discussion of: ANDERSON & GOODWIN], 597–9
——, SLOAN, R. J., GARVIE, L. A. J. & RAE, J. E., a polygenetic palaeosol from the Silurian (Wenlock) of southwest Ireland, 849–59, figs
——, VANSTONE, S. D., assessing the carbon dioxide content of ancient atmospheres using palaeocalcretes: theoretical and empirical constraints [Short Paper], 946–8, figs
——,—— & ROBINSON, D., ferrolysis in Arundian alluvial palaeosols: evidence of a shift in the early Carboniferous monsoonal system [Short Paper], 9–12, figs

Xanthi pluton, N Greece, emplaced during regional extension, 749, map 750; 751–8

Zambezi Rift, Zambia, age and relations of volcaniclastic carbonatite and rift sediments, 13–15
Zambia, age and relations of volcaniclastic carbonatite and Zambezi rift sediments, 13–15
Zechstein, of NE England, evaporite basins in, 1019–36
Zechstein stratigraphy, sedimentology, North Sea, 1023–30
Zenisu Ridge, offshore Japan, modern analogue for Cenozoic basin development, 326–8
ZHANG, C., *see* ALLEN, M. B.
ZHAO, Z.-Y., *see* ALLEN, M. B.
zircon inheritance, in granodiorites, Strontian and Ratagain, W Scotland, 23–4
zoning fabrics in limestone spars, 836–8
Zygourogreko Formation, Mesozoic, of Pindos Ophiolite, Greece, 279